PLEASE READ AND UNDERSTAND **INSPECTION NOTICE!!**

The homeowner or builder or installer shall contact the Inspector, Moriak Enterprises, 1117 35th Street, Amery, WI 54001, 715-948-2003 or (Cell) 715-641-0196, to request an inspection of each area needing inspection.

Construction shall **NOT** proceed until inspection has been completed. Construction may proceed if the inspection has not taken place by the end of the **second** business day following the day of notification unless agreed upon between applicant and the inspector.

Please call me if you have any questions as the building process continues.

Required Inspections and the timing of the Inspections:

- Footing and foundation inspection. The excavation shall be inspected after the placement of forms, shoring and reinforcement, where required, and **PRIOR** to the placement of footing materials.
- Erosion Control shall take place concurrently with any other inspection.
- Where below-grade drain tiles, waterproofing or exterior insulation is **REQUIRED**, the foundation shall be inspected **PRIOR** to backfilling
- In-Ground Plumbing and Heating and Electrical, if any, shall be inspected **PRIOR** to covering.
- Basement or Slab on grade floor area shall be inspected after the vapor retarder is in place and **PRIOR** to covering.
- Electrical Hook-up inspection shall be done **PRIOR** to the Electric Company installing a meter. A Ufer ground is required if ½" or larger rebar is used.
- Rough Inspections are **REQUIRED** for each category indicated below. If possible, all categories of work for rough inspections should be completed before the notice of inspection is provided. The applicant may request one rough inspection or individual rough inspections but the work CANNOT be insulated or covered before the inspector visits.

Construction Rough Electrical Rough Plumbing

Rough Heating, Ventilating and AC

Insulation * PRIOR to covering

Final Inspection

* **PRIOR** to insulating or covering

* AFTER all work is done and

PRIOR to occupancy

NOTE: If work for which an inspection is requested is not complete at the time of inspection, a re-inspection fee may be charged.